


Fastening Technology / Blind Rivets

HUCKLOK® Blind Rivets



Contents

	Page
HUCKLOK® blind rivets	
Overview	5
Truss head	6
Steel/steel	

HUCKLOK® blind rivets



HUCKLOK® blind rivets are especially high-strength blind rivets with a very wide gripping range that remain snug even under dynamic load. The mandrel always breaks flush, even when materials of varying strengths and thicknesses are present within the grip range. The blind-side footprint is minimal.

Benefits at a glance

- High shear and tensile strength
- The securely fitting mandrel makes for vibration-resistant applications
- Very large grip range
- Mandrel always breaks off flush at the snap head
- Universal use
- Quick and secure installation
- Permanent secure fixing
- Heatless installation means component will not warp
- Eliminates extensive refinishing

Applications


- General industry
- Steel construction and mechanical engineering
- Automotive industry
- Construction industry
- Bodywork and vehicle manufacture

HUCKLOK® blind rivets

Truss head

Material

Sleeve	Mandrel
Steel, galvanised, chromated	Steel, galvanised, chromated



Nominal Ø [mm]	Bore Ø [mm]	Grip range s [mm]	Blind sleeve l +1.0 -0.2 [mm]	Blind rivet head Ø [mm]	Height k ±0.2 [mm]	Installation length max. E [mm]	Nominal strength at break*		Article No.
							Shear N	Tensile N	
6.4	6.6 - 6.9	2.0 - 9.5	14.2	13.0	3.0	28.3	15560	8450	415 290 000
		4.8 - 11.0	15.7	13.0	3.0	29.9	15560	8450	415 291 000
		9.5 - 15.9	20.6	13.0	3.0	34.7	15560	8450	415 292 000
		15.9 - 22.2	26.9	13.0	3.0	41.1	15560	8450	415 294 000

* Strengths at break relate to rivet failure.

Other designs available on request.

Copyright

All texts, images, technical documents and other information contained in this catalogue are subject to copyright held by Titgemeyer GmbH & Co. KG. Any reproduction or disclosure, whether as a copy or other form of duplication or use, is expressly prohibited without the prior consent of Titgemeyer GmbH & Co. KG.

Registered trademarks

The trademarks BÖRTI, GETO, GETO therm, GETOVAN, GTO, LockBolt, MEGA PORT, plasti van, PLYFIX, POLYSTIC, press-ti, RIEKO, RIV-TI, ROLL-TO, TIBOLT, TIBULB, TIFAS, TILA, TIOS and Titgemeyer are registered trademarks and the intellectual property of Titgemeyer GmbH & Co. KG.

Term of Delivery and Payment

All deliveries are carried out in compliance with our Terms of Delivery and Payment.

Limitation of liability

All technical data, performance descriptions, drawings, illustrations, measurements, weights or any other performance data, recommendations and guidelines contained in this catalogue and relating to the installation of parts that we supply are only binding if so expressly agreed. Moreover, the user is obliged at all times to check each individual use and decide whether the components that we supply can be used as needed.

We accept liability in the case of wilful intent, gross negligence and infringement of cardinal contractual duties as well as for errors in respect of express or implied representations. Notwithstanding this, any claims for compensation not explicitly agreed to in these terms and conditions are hereby excluded in the case of customers who are not consumers and, in the case of such customers, who are not consumers, at all events limited to the damage foreseeable at the time of concluding the contract as well as to the value of the delivered consignment. To the extent that our liability is excluded or limited, this shall extend accordingly to the personal liability of employees, legal representatives and vicarious agents. In all instances of gross negligence committed by vicarious agents, we shall solely be liable to customers, who are not consumers, to compensate for typically foreseeable damage. The statutory regulation governing the burden of proof shall remain unaffected. The aforementioned limitation of liability shall not apply to claims resulting from product liability, for damage resulting from injury to life, limb or health, or for damage to privately used property.

All technical specifications contained in this brochure are approximate and no guarantee is given as to their accuracy. Designs are subject to change.

About us

The Titgemeyer Group is a leading company for fastening technology and vehicle components at 15 locations in Europe.

The traditional company develops, manufactures and sells more than 30,000 fastening elements, tools and vehicle components – in series production and on request.

Headquarters	Sales locations	Production sites
Titgemeyer GmbH & Co. KG Hannoversche Straße 97 49084 Osnabrück / DE	Titgemeyer Austria GmbH Brunner Straße 77 - 79 1230 Wien / AT	Cirteq Limited 'Hayfield' Colne Road, Glusburn, Keighley, West Yorkshire, BD20 8QP
PO Box 4320 49033 Osnabrück / DE	T +43 (0) 1/6 67 90 40 - 0 E sales@titgemeyer.com W titgemeyer.at	T +44 1535 633333 E sales@cirteq.com W cirteq.com
T +49 541 5822-0 E info@titgemeyer.com W titgemeyer.com	Titgemeyer CZ spol. s r. o. U Vodárný 1506 397 01 Písek / CZ	Titgemeyer Tools & Automation spol s.r.o. U Vodárný 1506 397 01 Písek / CZ
	T +420 382 2067 - 25 E sales@titgemeyer.com W titgemeyercz.cz	T +42 382 2067 - 11 E info@rivetec.cz W rivetec.cz
Titgemeyer Polska sp. z o.o. Cypriana Bazylka 17 98-200 Sieradz / PL	T +48 (0) 43 828 20 - 15 E sales@titgemeyer.com W titgemeyer.pl	RIEKO GmbH Robert-Bosch-Straße 9 72124 Pliezhausen / DE
	Titgemeyer Skandinavien A/S Lunikvej 32 2670 Greve / DK	T +49 7127 9744 - 0 E info@riecko-web.com W riecko-web.com
	T +45 4360 0966 E info@titgemeyer.dk W titgemeyer.dk	Titgemeyer GmbH & Co. KG Werk Lotte Daimlerstraße 13 - 15 49504 Lotte / DE
	Titgemeyer Skandinavien A/S Box 3218 550 03 Jönköping / SE	T +49 5404 9666 - 0 E info@titgemeyer.com W titgemeyer.com
	T +46 36 128350 E info@titgemeyer.se W titgemeyer.se	TS Gesellschaft für Transport- und Sicherungssysteme mbH Haßlinghauser Straße 156 58285 Gevelsberg / DE
	Titgemeyer Skandinavien A/S Korkeakoulunkatu 7 33720 Tampere / FI	T +49 541 5822 - 900 E ts@cargocontrol.de W wir-sind-ladungssicherung.de
	T +358 (0) 400 448 401 E info@titgemeyer.fi W titgemeyer.fi	